



| REV. | CHANGGE DESCRIPTION | DATE |
|------|---------------------|-----------|
| A | New Issue | 2022-8-30 |
| | | |

1. MECHANICAL DIMENSIONS :



2. SCHEMATIC DIAGRAM:



3. ELECTRICAL REQUIREMF @ 25°C

1. COMMON MODE IMPEDANCE: 6000 Ω MAX @2MHz
2. RATED CURRENT: 0.8A MAX
3. DC RESISTANCE: 0.31 Ω MAX
4. RATED VOLTAGE: 80V
5. HI-POT: 500Vac 3mA 3Sec
6. OCL: 1000uH ±50% @100KHZ 5mV
7. OPERATING TEMPERATURE: -40 TO +125°C

NOTE. DIMENSIONS:MM (INCHES)/UNLESS OTHERWISE SPECIFIED ALL TOLERANCES ARE ±0.30 (0.012).

RoHS Compliant

TAG ECO TECH CO., LTD.

A4
SIZE

TAG PART NO.:
CM090605C-102

VENDOR PART NO.:

Drawn: Xue Zhang

Designed: Tian Yang

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF TAG TECHNOLOGY CO., LTD. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUSES OR DEVICES WITHOUT PERMISSION.

THIRD ANGLE
PROJECTION

DESCRIPTION:
COMMON MODE CHOKE

| | | | |
|-------|-----------|---------|---|
| UNIT | mm [inch] | USED ON | |
| SHEET | 1 OF 1 | REV. | A |

Approved: Deane
Date: 2022-8-30